



Max-Air

Paint Spray Equipment

Air Tools




Distributed by



PRO-TEK
Longueuil (Québec)
Canada

HVLP Spray Gun

Max-Air



W-98

TECHNICAL DATA

W-98

AIR PRESSURE(PSI)	43 psi
AIR INLET	1/4"
AIR CONSUMPTION(CFM)	8-11 cfm
PATTERN WIDTH	190 mm
CAPACITY OF CUP(ML)	600 ml
FEED TYPE	Gravity
AVAILABLE IN(MM)	1,4-1,7-2,0-2,5 mm

TECHNICAL DATA

W-100

AIR PRESSURE(PSI)	43 psi
AIR INLET	1/4"
AIR CONSUMPTION(CFM)	8,0 cfm
PATTERN WIDTH	150 mm
CAPACITY OF CUP(ML)	125 ml
FEED TYPE	Gravity
AVAILABLE IN(MM)	0,8-1,0,-1.2 mm

MINI-GUN



W-100

Max-Air

Conventional Suction Spray Gun



TECHNICAL DATA	W-200
AIR PRESSURE(PSI)	50-80 psi
AIR INLET	1/4"
AIR CONSUMPTION(CFM)	7- 12 cfm
PATTERN WIDTH	150 mm
CAPACITY OF CUP(ML)	Alum. 1000 ml
FEED TYPE	Suction
AVAILABLE IN(MM)	1,5 -1,8 - 2,0mm



TECHNICAL DATA	W-150
AIR PRESSURE(PSI)	50-70 psi
AIR INLET	1/4"
AIR CONSUMPTION(CFM)	14,5 cfm
PATTERN WIDTH	250 mm
CAPACITY OF CUP(ML)	Alum. 1000 ml
FEED TYPE	Suction
AVAILABLE IN(MM)	1,5 - 2,0 mm



TECHNICAL DATA	W-15
AIR PRESSURE(BAR-PSI)	50-70p si
AIR INLET	1/4"
AIR CONSUMPTION(CFM)	8,2 cfm
PATTERN WIDTH	180 mm
CAPACITY OF CUP(ML)	Alum. 200 ml
FEED TYPE	Suction
AVAILABLE IN(MM)	1,5 mm

Paint Gun Kits

Max-Air

W988K

- 1 W-98 HVLP Gravity paint gun
- 1 600ml Plastic cup
- 1 Diaphragm regulator
- 1 Plastic case



W987K

- 1 W-98 HVLP Gravity paint gun
- 1 W-100 HVLP Mini paint gun
- 1 125 ml Plastic cup
- 1 600 ml Plastic cup
- 1 Diaphragm regulator
- 1 Molded plastic case




W989K

- 2 W98 HVLP Gravity paint gun 1,4 & 1,7mm
- 1 W100 HVLP Mini gravity paint gun 1,0mm
- 1 125 ml Aluminum cup
- 1 600 ml Aluminum cup
- 1 1000 ml Aluminum cup
- 2 Air regulators
- 1 4 pcs cleaning kit
- 1 Molded plastic case



Max-Air Gravity Paint Gun Stands



**METAL PAINT
GUN STAND**



**PLASTIC PAINT
GUN STAND**



WALL MOUNT




**MAGNETIC GRAVITY PAINT
GUN HOLDER**

Pressure Systems



TECHNICAL DATA	PT-02
Working air pressure	35-50psi
Cup paint volume	2 Quart
Hose size	3/8"
Hose length	4 ft
Material output	11fm
Air inlet	1/4" npt



TECHNICAL DATA	PT-10
Maximum pressure	80 psi
Air consumption	4-11cfm
Air inlet	1/4"
Tank volume	2 gal
Hose length	10 ft
Hose size	3/8"

Paint Gun Cups

Max-Air

**CUP COVERS FOR
PLASTIC CUP
W100T 125ML
W98T 600ML**

**W100C 125ml Plastic cup 1/4" female threads
W98C 600ml Plastic cup 3/8" female threads**



Aluminum Dripless Paint Cups

1 Liter



W200C

1 Liter



W150C

200ml



W15C

**W110C 125ml
W120C 600ml
W130C 1 liter**




**W156G GASKET FOR W15C 200ML CUP
W150G GASKET FOR W150C AND W200C 1 LITER CUP
W200B PLASTIC BAFFLE FOR W200C 1 LITER CUP**

**W110T CUP COVER FOR W110C
W120T CUP COVER FOR W120C
W130T CUP COVER FOR W130C**

**W-600 PRECISION GAUGE READS UP TO 160PSI &
11KG/CM
REGULATES AIR PRESSURE ON ALL AIR
PNEUMATIC TOOLS WITH 1/4" FITTINGS**



**W-610 PRECISION GAUGE READS UP TO 160PSI &
11KG/CM
REGULATES AIR PRESSURE ON ALL AIR
PNEUMATIC TOOLS WITH 1/4" FITTINGS**



Max-Air

Safety Supply

S-411



Spray Sock

**MADE OF STRETCH COTTON
FOR EXTRA COMFORT**

PACKAGED IN BOXES OF 12 / CASES OF 144

S-9402



Paint Suit

BREATHABLE NYLON PAINT SUITS

**Re-usable paint suit Made of nylon, slalon and therma blend. elastic at sleeves,waist and ankles. can be cus-
tomprinted with customer's own logo and color**

**S-9402S
S-9402M
S-9402L
S-9402XL
S-9402XXL
S-9402XXXL**

**SMALL
MEDIUM
LARGE
X-LARGE
XX-LARGE
XXX-LARGE**



W-300

HVLP Gravity paint gun

Pistolet à gravité HVLP

Pistola de gravedad HVLP

Working pressure: 15 - 28 psi

Gun available in 1.3, 1.4, 1.7 and 2.1mm

High atomization with low air pressure.

Save paint and protect environment.

Better than 65% transfer efficiency with less than 10% output pressure.

Stainless nozzle and needle allow to use water base paints.

600ml plastic cup

Pression recommandée: 15 - 28 psi

Disponible avec orifice de 1.3, 1.4, 1.7 et 2.1mm

Permet une haute atomisation en utilisant une basse pression.

Plus de 65% de transfert d'efficacité avec moins de 10% de sortie de pression.

Économie de peinture et protection de l'environnement.

Buse et aiguille en acier inoxydable permet d'utiliser la peinture à base d'eau.

Godet à plastique 600ml.

Presión de trabajo: 15 - 28 psi

Disponible con orificios de 1.3, 1.4, 1.7 y 2.1mm

Excelente atomización a baja presión de aire.

Ahorra pintura y protege el medio ambiente.

Eficacia de transferencia superior al 65% con menos de 10% de presión de salida.

Boquilla y aguja de acero inoxidable que permiten usar pinturas solubles en agua.

Recipiente de 600ml

W-500

Air regulator with pressure gauge

Régulateur d'air avec manomètre à pression

Regulador de aire con manómetro de presión



MAXAIR

www.maxairtools.com

T. (450) 651-4249 / 1 800 361-7956 / F. (450) 651-9941

Distributed by | Distribué par | Distribuido por:

PRO-TEK

Longueuil (QC) Canada

marketing@pro-tek.ca



6" Professional orbital sander

Sableuse orbitale professionnelle 6"

Lijadora orbital profesional de 6"

- Speed : 10 000 RPM
- Light weight (only 2 lbs)
- Low noise (only 100 decibels)
- Low vibration and low profile
- Working pressure 90 PSI
- Consumption : 9 CFM
- Adjustable speed

- Vitesse : 10 000 RPM
- Outil très léger de seulement 2 lbs
- Sableuse peut bruyante, 100 décibels
- Profil bas et peut de vibration
- Pression de travail : 90 PSI
- Consommation : 9 CFM
- Vitesse ajustable


- Velocidad: 10 000 RPM
- Herramienta ligera de sólo 2 libras
- Poco ruidosa, 100 decibeles
- Perfil bajo y poca vibración
- Presión de trabajo: 90 PSI
- Consumo: 9 CFM
- Velocidad ajustable



MA-1106

ORBIT | ORBITA 3/16" (5mm)

Rough Finishing | Finition brute | Acabado robusto



MA-1107

ORBIT | ORBITA 3/32" (2,5mm)

Perfect Finishing | Finition parfaite | Acabado perfecto



MAXAIR

www.maxairtools.com

www.pro-tek.ca

www.pro-teksprayequipment.com

T. (450) 651-4249 / 1 800 361-7956 / F. (450) 651-9941



Distributed by | Distribué par | Distribuido por:

PRO-TEK

Longueuil (QC) Canada

marketing@pro-tek.ca




9145

Dent Puller-thick Rubber Suction Cup

Outil de succion en caoutchouc épais pour débosselage

Chupón-tirador en caucho para abolladuras



✓ Tremendous Suction and Holding Power
Thick rubber suction cup needs no wetting

✓ Grande succion et force de retenue
Ventouse en caoutchouc épais qui ne nécessite pas de mouillage

✓ Gran poder de succión y tenencia
La ventosa de goma gruesa no necesita humectante

MAXAIR

www.maxairtools.com

1-800-www.pro-tek.ca

 www.pro-teksprayequipment.com

T. (450) 651-4249 / 1 800 361-7956 / F. (450) 651-9941



Distributed by | Distribué par | Distribuido por:

PRO-TEK

Longueuil (QC) Canada
marketing@pro-tek.ca



W-12 Product #
de produit

Disposable paint gun air filter Filtre à l'air jetable pour pistolet à peindre Filtro de aire desechable para pistola de pintura

0.01 MICRON



Jar with 23 pcs
Jarre 23 pcs
Jarra de 23 pzas

Product #
de produit

W-12-1J



**Bon prix
Great value
Super precio**



This disposable air filter has been designed to minimize painting failures by removing oil aerosols and any moisture that might condense in the hose downstream of the wall mounted filter. It should supplement rather than replace the wall mounted filters and moisture traps.

Ce filtre à air jetable a été conçu pour minimiser les échecs de peinture en enlevant des aérosols d'huile et l'humidité qui pourrait se condenser dans le tuyau en aval du filtre mural. Il devrait compléter plutôt que remplacer les filtres de murales et les pièges d'humidité.

Este filtro de aire desechables ha sido diseñado para minimizar los fallos de pintura mediante la eliminación de aerosoles de aceite y la humedad que podría condensarse en la manguera. Debe complementar y no sustituir los filtros de pared y las trampas de humedad.

MAXAIR

www.maxairtools.com

T. (450) 651-4249 / 1 800 361-7956 / F. (450) 651-9941

Distributed by | Distribué par | Distribuido por:

PRO-TEK

Longueuil (QC) Canada
marketing@pro-tek.ca



Product #
de produit

W989-K

Professional paint guns kit

Ensemble de pistolets à peinture professionnels

Kit profesional de pistolas de pintura

The professional paint guns kit include:

- 2 W98 HVLP Gravity paint gun 1,4 & 1,7mm
- 1 W100 HVLP Mini gravity paint gun 1,0mm
- 1 125 ml Aluminum cup
- 1 600 ml Aluminum cup
- 1 1000 ml Aluminum cup
- 2 Air regulators
- 1 Cleaning kit (4 pcs)

L'ensemble comprend:

- 2 W98 HVLP Pistolet à gravité 1,4 et 1,7mm
- 1 W100 HVLP Mini pistolet à gravité 1,0mm
- 1 125 ml Godet à gravité
- 1 600 ml Godet à gravité
- 1 1000 ml Godet à gravité
- 2 Régulateur d'air
- 1 Ensemble pour nettoyer (4 pcs)

El kit comprende:

- 2 W98 HVLP Pistolas a gravedad de 1,4 y 1,7mm
- 1 W100 HVLP Mini pistola a gravedad de 1,0mm
- 1 Recipiente de 125 ml
- 1 Recipiente de 600ml
- 1 Recipiente de 1000ml
- 2 Reguladores de aire
- 1 kit de limpieza (4 pzas)



MAXAIR



www.maxairtools.com

T. (450) 651-4249 / 1 800 361-7956 / F. (450) 651-9941

Distributed by | Distribué par | Distribuido por:

PRO-TEK

Longueuil (QC) Canada
marketing@pro-tek.ca





PT-02

Pressure System
Systèmes à pression
Sistemas a presión

2 liters system with 1.0mm gun and hoses

Système 2 litres avec pistolet 1.0mm et boyau

Sistema de 2 litros con pistola de 1.0mm y manguera



PT-10

2 Gal. Pressure Tank
Cuve à pression 2 Gal
Tanque a presión de 2 Gal

www.maxairtools.com

T. (450) 651-4249 / 1 800 361-7956 / F. (450) 651-9941

Distributed by | Distribué par | Distribuido por :

PRO-TEK

Longueuil (QC) Canada

marketing@pro-tek.ca



***Ligne complète d'outils de qualité
à un prix abordable !***

Informez-vous aujourd'hui !



MAXAIR

***Complete line of quality tools
at an affordable price !***

Find out today!



MAXAIR

www.maxairtools.com

www.pro-tek.ca

www.pro-teksprayequipment.com

T. (450) 651-4249 / 1 800 361-7956 / F. (450) 651-9941



Distributed by | Distribué par | Distribuido por:

PRO-TEK

Longueuil (QC) Canada

marketing@pro-tek.ca

